



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

METEOROLOGICAL JOURNAL,

KEPT AT THE APARTMENTS

OF THE

ROYAL SOCIETY,

BY ORDER OF THE

PRESIDENT AND COUNCIL.

METEOROLOGICAL JOURNAL

for January, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.	Weather.	
			without.	within.						
			H. M.	H. M.						
	o									
Jan. 1	22	8 0	22	47	30,17	77		ENE	1	Foggy.
	26	2 0	26	47	30,18	73		ENE	1	Foggy.
2	20	8 0	21	46	30,23	77		NE	1	Foggy.
	23,5	2 0	23,5	48	30,26	76		NE	1	Foggy.
3	13,5	8 0	14	44	30,35	75		E	1	Cloudy.
	20	2 0	20	44,5	30,37	73		S	1	Hazy.
4	13	8 0	13,5	42	30,47	73		E	1	Cloudy.
	23,5	2 0	23	44	30,44	73		E	1	Foggy.
5	19,5	8 0	22	42	30,31	75		S	1	Cloudy.
	33	2 0	32	45	30,26	76		SW	1	Fair.
6	26,5	8 0	28,5	43	30,26	75		W	1	Cloudy.
	35	2 0	32	47	30,28	77		W	1	Cloudy.
7	31	8 0	33	46	30,36	83		E	1	Cloudy.
	35	2 0	33	46,5	30,31	83		ESE	1	Cloudy.
8	32,5	8 0	33,5	45	30,10	79		E	1	Cloudy.
	36	2 0	36	47	30,01	74		ENE	1	Cloudy.
9	29	8 0	31	46	30,01	79		WNW	1	Cloudy.
	38	2 0	37	48	30,08	80		WNW	1	Cloudy.
10	29	8 0	29,5	46,5	30,41	77		NE	1	Cloudy.
	34,5	2 0	34	49	30,45	73		NE	1	Fine.
11	23	8 0	23,5	47	30,46	77		NE	1	Fair.
	31	2 0	31	48	30,44	75		WNW	1	Hazy.
12	21	8 0	22	46	30,40	75		WNW	1	Cloudy.
	33	2 0	29	48	30,38	74		WNW	1	Cloudy.
13	31	8 0	32	46	30,29	79		E	1	Snow.
	34	2 0	32	49	30,22	72		E	1	Fine.
14	22,5	8 0	23	43	30,18	73		E	1	Fine.
	29	2 0	28	44,5	30,18	66		ENE	1	Cloudy.
15	27	8 0	28	45	30,10	77		NE	2	Cloudy.
	30	2 0	25,5	46	30,14	66		NE	2	Cloudy.
16	21	8 0	22	42	29,91	67		NNE	2	Cloudy.
	29	2 0	29	46	29,78	66		NNE	2	Cloudy.

METEOROLOGICAL JOURNAL

for January, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
								Inches.	Points.	
		H. M.	°	°	Inches.					
Jan. 17	o									
	22	8 0	24	42	29,74	76		NE	1	Snow.
18	28	2 0	26	44,5	29,76	72		NE	1	Cloudy.
	25	8 0	26	42	29,60	74		NE	1	Snow.
19	28,5	2 0	28	45	29,58	72		NNE	2	Cloudy.
	20,5	8 0	22	41,5	29,65	77		NE	1	Cloudy.
20	28,5	2 0	28,5	44	29,69	69		NE	1	Cloudy.
	14	8 0	17	39	29,72	71		NE	1	Cloudy.
21	23,5	2 0	23	40	29,71	70		NE	1	Cloudy.
	19	8 0	19	38,5	29,77	74		NE	1	Snow.
22	23	2 0	23	40	29,81	72		NE	1	Cloudy.
	17	8 0	18	38,5	29,85	74		NNE	1	Cloudy.
23	23	2 0	22,5	40,5	29,82	72		NNE	1	Hazy.
	13	8 0	16	38	29,69	73		NE	1	Cloudy.
24	20	2 0	20	40	29,69	70		NE	1	Fair.
	14,5	8 0	21,5	38	29,94	73		NE	1	Cloudy.
25	25	2 0	25	41	30,00	73		NW	1	Cloudy.
	7	8 0	8	37	30,07	72		E	1	Foggy.
26	21	2 0	21	39	30,08	71		NW	1	Hazy.
	17,5	8 0	19	36	29,75	72		ESE	2	Cloudy.
27	38	2 0	22	38	29,52	74		ESE	2	Cloudy.
	40	8 0	43	39	29,19	89	0,183	SSW	1	Cloudy.
28	46	2 0	46	43	29,18	90		SSW	1	Cloudy.
	38	8 0	38	42	29,16	92	0,243	NE	1	Rain.
29	38	2 0	34	44	29,44	88		NE	2	Cloudy.
	24	8 0	24	42	30,02	75	0,050	NNE	1	Fair.
30	29	2 0	29	43,5	30,01	76		NNE	1	Fine.
	21	8 0	23	42	30,13	83		NNE	1	Foggy.
31	26,5	2 0	26,5	44	30,16	80		N by E	1	Cloudy.
	19,5	8 0	21	41	30,13	81		ENE	1	Foggy.
	33	2 0	33	44	30,06	72		ESE	1	Cloudy.

METEOROLOGICAL JOURNAL

for February, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.		Weather.
			without.	within.				H. M.	°	
					Inches.	Inches.		Points.	Str.	
Feb. 1	o									
	32	7 o	33	42,5	29,65	86		ESE	1	Foggy.
2	41	2 o	36	45	29,30	90		ESE	1	Rain.
	32	7 o	33	43	29,29	73	o,330	W	2	Cloudy.
3	35	2 o	34,5	45	29,32	75		WNW	2	Cloudy.
	30	7 o	26	44	29,22	81		SW	2	Snow.
4	35,5	2 o	35	46	29,12	74		WSW	2	Cloudy.
	27	7 o	27	42	29,08	75		WSW	1	Cloudy.
5	35,5	2 o	35,5	47	29,25	64		W	2	Fine.
	27	7 o	30	44	29,60	75		WNW	1	Cloudy.
6	36,5	2 o	36,5	47	29,72	70		WNW	1	Fine.
	26	7 o	27	44,5	29,98	76		WNW	1	Cloudy.
7	34	2 o	34	47	29,95	73		E	1	Cloudy.
	31	7 o	31,5	44	29,55	75		E	1	Cloudy.
8	35,5	2 o	35	48	29,46	73		E	1	Fair.
	33	7 o	39	46	29,27	88		SE	1	Cloudy.
9	44	2 o	43,5	49	29,27	89		S	2	Cloudy.
	40	7 o	45	48	29,22	91	o,160	S	2	Rain.
10	51	2 o	50	50,5	29,17	90		S b. W	2	Rain.
	48	7 o	50,5	50	29,16	86	o,505	S	2	Rain.
11	51	2 o	51	53	29,04	81		S	2	Cloudy.
	47	7 o	48	53	29,16	82	o,080	SSW	2	Cloudy.
12	51	2 o	51	55	29,10	73		SSW	2	Fair.
	45	7 o	45	54	29,10	78		WSW	2	Cloudy.
13	44	2 o	44	54	29,27	75		SW	2	Cloudy.
	31	7 o	32	51	29,24	88		NW	2	Snow.
14	37,5	2 o	37	52	29,42	69		NE	2	Cloudy.
	30	7 o	30	51	29,97	72	o,060	NE	1	Cloudy.
15	37	2 o	37	53	30,10	70		NE	1	Fine.
	28	7 o	28	50	30,47	77		NE	1	Fair.
16	38	2 o	38	51,5	30,51	73		W	1	Hazy.
	34	7 o	34	50	30,66	84		NNE	1	Cloudy.
	37	2 o	36	50	30,68	79		E	1	Cloudy.

METEOROLOGICAL JOURNAL

for February, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
			without.	within.				H. M.	o.	
Feb. 17	o									
	28	7 o	29	49	30,60	82		E	1	Cloudy.
	35	2 o	33	49	30,50	81		E	1	Cloudy.
18	28	7 o	29	47	30,39	67		E	2	Cloudy.
	32	2 o	31	48	30,32	64		E	2	Cloudy.
19	26	7 o	27	44	30,08	66		NE	2	Cloudy.
	30	2 o	28	44.5	29,99	67		NE	2	Snow.
20	24	7 o	25	43	29,90	66		NE	2	Cloudy.
	27	2 o	26	45	29,78	74		NE	2	Snow.
21	24	7 o	25	42	29,73	70		E	1	Cloudy.
	32	2 o	31	45	29,73	70		ESE	1	Fair.
22	32	7 o	32	42.5	29,55	73		E	1	Cloudy.
	37	2 o	37	45.5	29,45	74		E	2	Cloudy.
23	35,5	7 o	39	45	29,52	88	o,035	SSW	2	Cloudy.
	46	2 o	44	48.5	29,57	80		S	2	Cloudy.
24	37	7 o	39	47	29,57	80		SSW	1	Cloudy.
	44	2 o	44	50	29,60	77		WNW	2	Cloudy.
25	38,5	7 o	39	48	29,48	83		SSW	1	Cloudy.
	46	2 o	46	51	29,38	74		SSE	2	Cloudy.
26	38	7 o	38	48	29,18	83		ESE	1	Cloudy.
	43	2 o	43	51	29,05	78		ESE	2	Cloudy.
27	37	7 o	37.5	49	29,06	82	o,085	NE	2	Cloudy.
	41	2 o	41	51	29,18	70		NNE	1	Cloudy.
28	31	7 o	31	49	29,41	78		E	1	Snow.
	34	2 o	34	50	29,23	80		E	1	Snow.

METEOROLOGICAL JOURNAL

for March, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
			without.	within.				H. M.	o	
					Inches.		Inches.		Points.	Str.
Mar. 1	o									
	24	7 o	25	47	29,72	71	0,160	N	1	Fine.
	34	2 o	33,5	50,5	29,90	67		NW	1	Fine.
2	28	7 o	34	48	29,97	73		SW	1	Cloudy.
	38	2 o	36	49	29,86	73		SE	2	Cloudy.
3	34	7 o	34,5	48	30,19	74		E	1	Cloudy.
	37	2 o	36,5	49	30,23	72		W	1	Cloudy.
4	34	7 o	38	48	30,00	85		SSW	1	Cloudy.
	49	2 o	48,5	53	29,92	79		W	1	Cloudy.
5	40,5	7 o	44	50	29,84	85	0,060	S	1	Rain.
	51,5	2 o	50	53	29,68	71		S	2	Cloudy.
6	46	7 o	48	52	29,15	82	0,031	WSW	2	Cloudy.
	50,5	2 o	48	56	29,34	68		W	2	Cloudy.
7	43,5	7 o	43,5	52,5	29,57	72		NW	2	Cloudy.
	45	2 o	44	55	29,81	70		NW	2	Cloudy.
8	33	7 o	35	52	30,28	69		N	2	Fine.
	44	2 o	43,5	55	30,35	61		NNE	2	Fair.
9	37	7 o	38	52,5	30,16	78		S	1	Cloudy.
	46	2 o	43	54	29,95	80		S	1	Rain.
10	38	7 o	39	52	29,59	81	0,268	SW	1	Fair.
	48	2 o	47	55	29,46	68		SSW	2	Cloudy.
11	37	7 o	37	52	29,22	78	0,141	WSW	1	Fair.
	47	2 o	44	55	29,26	65		W	1	Fair.
12	34	7 o	35	52	29,35	76		WSW	1	Cloudy.
	45	2 o	44	55	29,28	72		SE	2	Cloudy.
13	33,5	7 o	35	53	29,14	80	0,295	NE	1	Cloudy.
	38	2 o	37	53	29,25	74		NE	1	Cloudy.
14	32	7 o	33	50	29,64	73		E	1	Cloudy.
	39	2 o	38,5	52	29,60	69		E	2	Cloudy.
15	33	7 o	36	50	29,54	80	0,116	WSW	1	Cloudy.
	45	2 o	44,5	52,5	29,58	63		SW	1	Fair.
16	33	7 o	38	50	29,13	85	0,238	E	1	Rain.
	46	2 o	46	53	29,02	85		SSE	1	Rain.

METEOROLOGICAL JOURNAL

for March, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.		Weather.
			without.	within.				H.	M.	
				o						
	o									
Mar. 17	36	7 0	36	51	29,40	74	0,389	NW	1	Cloudy.
	38	2 0	36,5	52	29,40	73		NW	1	Cloudy.
18	34	7 0	35,5	50	29,56	78		NE	2	Cloudy.
	38	2 0	37	50,5	29,74	71		NE	2	Cloudy.
19	30	7 0	31	49,5	30,14	75		NE	1	Cloudy.
	43	2 0	43	51	30,17	65		W	1	Fair.
20	35	7 0	38	50	30,21	73		WNW	1	Fair.
	48,5	2 0	48,5	52	30,27	67		NW	1	Cloudy.
21	34	7 0	36	51	30,22	76		W	1	Fair.
	50	2 0	50	54	30,08	64		WSW	1	Fair.
22	39	7 0	40	52	30,07	76		NW	1	Cloudy.
	49	2 0	49	55,5	30,11	63		NNE	1	Cloudy.
23	34	7 0	35	52	30,15	77		W	1	Hazy.
	45,5	2 0	45	55	30,10	71		W	1	Hazy.
24	38	7 0	39,5	53	30,00	75		WSW	1	Cloudy.
	50	2 0	50	55	29,93	66		SW	1	Cloudy.
25	37	7 0	38	53	29,82	75		S	1	Fair.
	49	2 0	48	55	29,78	63		S	1	Cloudy.
26	37	7 0	39	53	29,81	75		NE	1	Fair.
	50,5	2 0	49	57	29,84	63		NE	1	Cloudy.
27	35	7 0	38	53	29,90	72	0,046	NE	1	Cloudy.
	46	2 0	45	57	29,90	67		NE	1	Fair.
28	34	7 0	36	53	30,00	74		ENE	1	Cloudy.
	48	2 0	48	57	30,03	69		ENE	1	Fair.
29	35	7 0	37	54	30,02	76		E	1	Cloudy.
	50	2 0	49,5	57	30,02	70		E	1	Fine.
30	38	7 0	39	54,5	30,00	75		SSE	1	Cloudy.
	51	2 0	51	58	29,98	65		S by E	2	Fair.
31	38	7 0	41	55	29,95	77		ESE	1	Fine.
	54,5	2 0	54,5	59	29,90	56		ESE	1	Fine.

METEOROLOGICAL JOURNAL

for April, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.	Weather.	
			without.	within.						
			H. M.	o	o	Inches.	Inches.	Points.	Str.	
	o									
April 1	36,5	7 o	37,5	54,5	29,93	76		E	1	Cloudy.
	48	2 o	47	59	29,91	74		ESE	1	Fair.
2	36	7 o	37	54	29,87	78		ESE	1	Cloudy.
	48	2 o	45	57	29,86	74		ESE	1	Fair.
3	38	7 o	39	55	29,82	80		ESE	1	Cloudy.
	51,5	2 o	50	58	29,83	70		ESE	1	Fair.
4	37	7 o	38,5	55	30,08	70		NE	1	Cloudy.
	44	2 o	42	56	30,10	70		NE	2	Cloudy.
5	39	7 o	39	54	30,09	74		NE	1	Cloudy.
	44	2 o	42,5	56	30,08	72		NE	1	Cloudy.
6	38,5	7 o	40	55	30,06	75		NE	1	Cloudy.
	43	2 o	43	56	30,04	76		NE	1	Rain.
7	37,5	7 o	39	54	29,95	74	o,033	NE	1	Cloudy.
	43	2 o	43	56	29,89	71		NE	1	Cloudy.
8	37,5	7 o	38	53	29,84	72		NNW	1	Cloudy.
	47,5	2 o	44,5	57	29,80	69		NE	1	Cloudy.
9	36	7 o	38	54	29,84	76		NE	1	Cloudy.
	46	2 o	45	55,5	29,87	75		NE	1	Cloudy.
10	39	7 o	40	53,5	30,00	79		NE	1	Cloudy.
	58	2 o	56	58	30,00	71		E	1	Fine.
11	42	7 o	44	56	30,04	79		NE	1	Cloudy.
	60	2 o	60	59	30,04	71		E	1	Fine
12	47	7 o	47,5	57	30,02	79		E	1	Cloudy.
	56	2 o	55	59	30,02	70		NE	1	Cloudy.
13	42,5	7 o	44	57	30,00	70		NE	1	Cloudy.
	49	2 o	49	58	30,07	65		NE	1	Cloudy.
14	39	7 o	41,5	57	30,22	72		E	1	Fair.
	61	2 o	61	60	30,20	61		S	1	Hazy.
15	50	7 o	51	58	30,15	75		SW	1	Cloudy.
	58,5	2 o	58	59,5	30,08	71		SSW	1	Cloudy.
16	44	7 o	47	57	29,93	72		S b. W	1	Fair.
	59,5	2 o	58,5	60	29,88	65		SSW	1	Cloudy.

METEOROLOGICAL JOURNAL

for April, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
			without.	within.				Points.	Str.	
H.	M.	o	o	Inches.	Inches.					
Apr. 17	o									
	44,5	7	o	46	58	29,88	70	SW	1	Fair.
	56	2	o	56	60,5	29,88	54	WSW	1	Fair.
18	43	7	o	45	57	29,82	70	SSW	2	Fair.
	55	2	o	54	58	29,66	62	S	2	Cloudy.
19	46	7	o	47	57	29,41	71	0,033	2	Fair.
	56	2	o	56	58	29,38	61	SE	2	Fair.
20	46	7	o	46	57	29,36	74	0,034	1	Rain.
	55	2	o	55	59	29,34	66	S	1	Cloudy.
21	43	7	o	45	57,5	29,35	72	0,071	2	Fair.
	56	2	o	55	59	29,34	61	S	2	Cloudy.
22	41	7	o	42	58	29,35	73	0,032	1	Hazy.
	57	2	o	56	59,5	29,35	58	W	1	Fair.
23	39	7	o	41	58	29,49	68	SW	1	Fine.
	56	2	o	49	59	29,49	69	W	1	Cloudy.
24	44	7	o	46	58	29,48	70	0,186	1	Cloudy.
	58	2	o	58	61	29,60	58	W	2	Fair.
25	48	7	o	49	58	29,40	75	0,037	2	Cloudy.
	59	2	o	55	60	29,50	66	SW	2	Cloudy.
26	45	7	o	47	58	29,73	67	WSW	2	Fair.
	58	2	o	57,5	61,5	29,87	60	WSW	2	Fair.
27	47	7	o	48	58	29,91	69	SSW	2	Cloudy.
	57,5	2	o	56	60	29,91	65	SSW	2	Cloudy.
28	48	7	o	48	58,5	29,60	69	S	2	Cloudy. [
	55	2	o	52	60	29,38	69	S	2	Cloudy. last night.
29	43	7	o	45,5	58	29,59	70	0,071	2	Cloudy.
	57,5	2	o	56	60	29,64	60	SW	2	Fair.
30	48	7	o	52	58,5	29,48	68	S	2	Cloudy.
	57	2	o	56	59,5	29,53	62	SSW	2	Fair.

METEOROLOGICAL JOURNAL

for May, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- grome- ter.	Rain.	Winds.		Weather.
			without.	within.				H. M.	Points.	
	o			o	Inches.					
May 1	44	7 0	47	58	29,76	68	0,035	SSW	2	Fine.
	61	2 0	61	62	29,81	54		SSW	2	Fine.
2	44	7 0	49	59,5	29,99	69		S	2	Hazy.
	60	2 0	60	62	30,04	60		NE	2	Hazy.
3	40	7 0	43	59	30,28	70		ENE	1	Hazy.
	63	2 0	63	63	30,35	60		NE	1	Fine.
4	44	7 0	46	60	30,38	71		NE	1	Hazy.
	64	2 0	63	63	30,36	60		NE	1	Hazy.
5	48	7 0	53	61	30,34	71		SSW	1	Fair.
	72,5	2 0	72	63	30,30	60		NE	1	Fine.
6	55	7 0	56	62,5	30,37	70		NE	1	Cloudy.
	64,5	2 0	63	63	30,37	64		NE	1	Cloudy.
7	46	7 0	49	61	30,33	68		NE	1	Hazy.
	68,5	2 0	68	63	30,25	54		W	1	Fine.
8	54	7 0	55	63	30,23	62		NE	1	Fine.
	56	2 0	56	63	30,38	55		NE	1	Fine.
9	37	7 0	49,5	61	30,48	60		NE	1	Fine.
	59	2 0	58	61	30,37	55		W	1	Fine.
10	47	7 0	51	60,5	30,19	65		W	1	Fine.
	70	2 0	70	63	30,08	56		W	2	Fine.
11	48	7 0	50	61	29,92	63	0,030	NW	2	Fair.
	58	2 0	57,5	62,5	29,98	59		NW	2	Fair.
12	39	7 0	42	59	30,30	62	0,038	NE	2	Fair.
	56	2 0	56	61	30,29	57		N	2	Fair.
13	47	7 0	49	59	30,17	62		NW	2	Cloudy.
	58	2 0	56	59	30,13	61		NNW	1	Cloudy.
14	43	7 0	45	57	30,22	63		NE	1	Cloudy.
	56	2 0	56	57	30,22	60		ESE	1	Cloudy.
15	44	7 0	47	57,5	29,98	68	0,028	W	1	Cloudy.
	58	2 0	57,5	58	29,87	60		WSW	2	Cloudy.
16	41	7 0	43,5	57,5	29,94	67		NW	2	Cloudy.
	55	2 0	55	58	29,97	57		WNW	1	Hazy.

METEOROLOGICAL JOURNAL

for May, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy-	Rain.	Winds.	Weather.
			without.	within.	Inches.	gro- me- ter.	Inches.	Points.	
H. M.	°	°							
	o								
May 17	45	7 0	46	57	29,98	61		E	1 Fair.
	63,5	2 0	62	59	29,91	59		ESE	1 Fair.
18	48	7 0	52	58	29,92	65		S	1 Fine.
	74	2 0	74	61	29,93	56		S	1 Fine.
19	52,5	7 0	54	60	30,07	70		SW	1 Fine.
	71,5	2 0	71	62	30,11	55		WSW	1 Fine.
20	49	7 0	54	61	30,28	67		WSW	1 Hazy.
	69,5	2 0	68,5	63	30,42	56		N	1 Hazy.
21	52	7 0	55	62	30,49	68		SE	1 Fine.
	77	2 0	76	64	30,46	56		SSW	1 Fine.
22	56	7 0	60	64	30,45	62		W	1 Hazy.
	78	2 0	76	68	30,40	56		NW	1 Fine.
23	60	7 0	64	66,5	30,29	64		W	1 Fine.
	81,5	2 0	81	68	30,20	47		NW	1 Fine.
24	50	7 0	53	67	30,16	65		E	1 Cloudy.
	60	2 0	60	67	30,19	56		NE	1 Cloudy.
25	45	7 0	47	65	30,24	59		NE	1 Cloudy.
	56	2 0	55,5	64	30,22	56		E	1 Fine.
26	42	7 0	45	62	30,24	60		NE	1 Cloudy.
	55	2 0	55	61,5	30,24	55		NE	1 Cloudy.
27	36	7 0	43	60	30,37	61		NE	2 Fair.
	53	2 0	53	58	30,37	56		NE	2 Cloudy.
28	38	7 0	43	58	30,42	60		NE	2 Fine.
	56	2 0	56	58	30,30	56		N	2 Fair.
29	46	7 0	48	58	29,85	79	0,145	W	1 Rain.
	61,5	2 0	61	59	29,73	61		NW	2 Fair.
30	45	7 0	46	58	29,90	65		NW	1 Cloudy.
	57	2 0	57	59	29,93	57		NW	1 Cloudy.
31	49	7 0	50	58	29,90	70		SSW	2 Cloudy.
	60	2 0	58	59	29,84	64		S	2 Cloudy.

METEOROLOGICAL JOURNAL

for June, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- gro- meter.	Rain.	Winds.	Weather.	
									Points.	Str.
				°						
June 1	o									
	50	7 o	53	58	29,68	66		S	2	Cloudy.
	66	2 o	65	59,5	29,60	58		SSE	2	Cloudy.
2	50	7 o	53	59	29,57	68	0,054	S	2	Cloudy.
	67	2 o	66	61	29,64	57		SSW	2	Fair.
3	52	7 o	52	59	29,84	67		S b. W	2	Cloudy.
	68,5	2 o	68	61	29,82	56		ESE	1	Cloudy.
4	55	7 o	58	60,5	29,72	70	0,046	SE	1	Fine.
	77,5	2 o	76	63,5	29,71	56		SE	1	Fair.
5	59	7 o	62	63	29,78	80	0,473	E	1	Hazy.
	77	2 o	76	65,5	29,75	60		WSW	1	Cloudy.
6	59	7 o	61	64	29,64	79		SW	1	Cloudy.
	76	2 o	70	66	29,60	71		SW	1	Rain.
7	55	7 o	55	65	29,69	73	0,060	N	1	Cloudy.
	59	2 o	59	64	29,75	72		N	1	Cloudy.
8	54	7 o	54	64	29,92	87	0,254	N	1	Rain.
	57	2 o	56	63	29,98	83		NE	1	Rain.
9	51	7 o	53	63	30,05	85	0,505	NE	1	Rain.
	63	2 o	62	63,5	30,10	77		NE	1	Cloudy.
10	50	7 o	52	62,5	30,09	83		ENE	1	Cloudy.
	60	2 o	58	62	30,09	78		NE	1	Cloudy.
11	50	7 o	52	62	30,02	84		NE	1	Cloudy.
	66	2 o	65	63	29,93	68		NE	2	Cloudy.
12	51	7 o	51	62	29,97	73		NE	2	Cloudy.
	56	2 o	56	61,5	30,01	68		NE	2	Cloudy.
13	46	7 o	47	60	30,00	72		NE	1	Cloudy.
	58	2 o	54	60	29,98	71		NE	1	Cloudy.
14	45	7 o	47	59,5	29,91	73		NE	1	Cloudy.
	60	2 o	59	60	29,87	66		NE	2	Cloudy.
15	47	7 o	49	59	29,87	71		NE	1	Cloudy.
	66	2 o	63	60,5	29,87	67		NE	1	Cloudy.
16	52	7 o	53	60	29,99	74		NNW	1	Cloudy.
	60	2 o	59	60	30,03	73		WNW	1	Cloudy.

METEOROLOGICAL JOURNAL

for June, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- grome- ter.	Rain.	Winds.		Weather.
								Points.	Str.	
June 17	o									
	55,5	7 o	57	60	30,05	83		WNW	1	Cloudy.
	59,5	2 o	59	60	30,04	78		E	1	Cloudy.
18	52	7 o	53,5	60	29,96	81	0,043	NE	1	Cloudy.
	54	2 o	53	60	29,90	83		E	1	Rain.
19	41	7 o	41	58	29,95	90	1,490	NE	1	Rain.
	50	2 o	49	57,5	29,94	69		NNE	2	Cloudy.
20	44,5	7 o	46	56	30,02	68	0,032	NE	2	Cloudy.
	52	2 o	51	56	30,03	64		NE	2	Cloudy.
21	42	7 o	44	56	30,14	70		NE	2	Cloudy.
	62	2 o	62	58	30,12	59		NE	1	Fair.
22	49	7 o	52	57	30,08	67		WNW	1	Fair.
	63	2 o	63	58	30,05	58		WNW	1	Cloudy.
23	48	7 o	51	57	29,97	71		SW	1	Cloudy.
	64,5	2 o	61	58	29,98	62		WNW	1	Cloudy.
24	46	7 o	51	58	30,00	70	0,040	W	1	Fair.
	68	2 o	68	59,5	30,00	56		W	1	Cloudy.
25	54	7 o	55	59,5	29,78	73	0,173	WSW	2	Cloudy.
	65	2 o	63	60,5	29,75	73		SW	2	Cloudy.
26	56	7 o	57	59,5	29,50	75	0,065	SW	2	Cloudy.
	69,5	2 o	67	61,5	29,63	63		WNW	1	Cloudy.
27	53	7 o	55	60,5	29,85	75		E	1	Cloudy.
	64	2 o	63	62	29,83	68		E	1	Cloudy.
28	51	7 o	53,5	61	29,71	72	0,062	SSE	2	Cloudy.
	60	2 o	58	61	29,62	70		S	2	Rain.
29	57	7 o	56	61	29,54	72	0,042	S	2	Cloudy.
	68	2 o	67	62	29,57	62		SSW	2	Cloudy.
30	52	7 o	56	61	29,66	68		SW	2	Cloudy.
	62	2 o	56	61	29,54	76		SSE	2	Rain.

METEOROLOGICAL JOURNAL

for July, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
								Points.	Str.	
	o									
July 1	48	7 0	52	60	29,54	76	0,276	SW	2	Cloudy.
	63	2 0	61	62	29,57	69		SSW	2	Rain.
2	50	7 0	52	61	29,94	71	0,172	NW	1	Cloudy.
	65	2 0	64,5	61	29,98	66		SE	1	Cloudy.
3	53	7 0	54	61	29,93	74		E	1	Cloudy.
	66	2 0	66	62	29,87	66		ESE	1	Cloudy.
4	55	7 0	56	61	29,81	86	0,263	NE	1	Rain.
	60	2 0	59	62	29,96	72		NE	1	Rain.
5	46	7 0	51	61	30,20	66	0,143	NW	1	Fine.
	67	2 0	66	62	30,16	66		N	1	Fair.
6	48	7 0	52	61	30,22	70		N	1	Fine.
	63	2 0	62	62	30,24	61		NE	1	Cloudy.
7	50	7 0	51	61,5	30,26	74		E	1	Fair.
	65	2 0	63	62	30,26	64		NE	1	Fair.
8	51	7 0	51,5	62	30,26	72		NE	1	Cloudy.
	62	2 0	62	62	30,26	66		NE	1	Cloudy.
9	50,5	7 0	52	62	30,23	69		NE	1	Fair.
	64	2 0	63	62,5	30,17	61		NE	1	Fair.
10	51	7 0	52	61	30,13	75		NE	1	Cloudy.
	60	2 0	60	62,5	30,12	65		NE	1	Cloudy.
11	50	7 0	51	61	30,08	71		NE	1	Cloudy.
	61	2 0	58,5	61,5	30,05	66		NE	1	Cloudy.
12	50	7 0	51	60	30,00	72		NE	1	Cloudy.
	58	2 0	56,5	60,5	29,99	69		NE	1	Cloudy.
13	51,5	7 0	53	60	29,94	68		NE	2	Cloudy.
	56	2 0	56	60	29,96	66		NE	2	Cloudy.
14	49	7 0	52	59	30,12	68		NE	2	Cloudy.
	66	2 0	66	61	30,12	59		NE	1	Fine.
15	57	7 0	57	61	30,14	70		NW	1	Fair.
	64	2 0	58	61	30,11	75		NE	1	Rain.
16	47	7 0	53	60	30,12	71	0,033	NW	1	Cloudy.
	69,5	2 0	68,5	62	30,06	60		WNW	1	Fair.

METEOROLOGICAL JOURNAL

for July, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- grome- ter.	Rain.	Winds.		Weather.
								H. M.	o	
								Inches.	Points.	Str.
July 17	o									
	58	7 0	60	61	29,87	71		WNW	1	Cloudy.
	65	2 0	63,5	62	29,87	65		NW	2	Cloudy.
18	52	7 0	53	61	30,00	65		WNW	1	Cloudy.
	66,5	2 0	65	62	29,98	63		WSW	1	Cloudy.
19	58	7 0	58	62	30,00	69		WSW	1	Cloudy.
	73	2 0	71,5	64,5	30,00	58		SW	1	Fair.
20	55	7 0	56,5	63	29,98	70		SW	1	Fine.
	76	2 0	74	67	29,94	60		S	2	Fine.
21	59	7 0	62	64,5	29,81	69		NE	1	Fair.
	76	2 0	75	68	29,72	63		E	1	Fair.
22	58	7 0	60	66	29,67	72	0,050	SW	2	Cloudy.
	69	2 0	67	66	29,69	66		SW	2	Cloudy.
23	53	7 0	54	64	29,78	66		W	2	Cloudy.
	66	2 0	65	64,5	29,76	64		W	2	Fair.
24	51	7 0	54	64	29,76	71		SW	1	Cloudy.
	65,5	2 0	61	64	29,64	64		SW	2	Cloudy.
25	51	7 0	53	64	29,76	70	0,055	S	1	Fair.
	63	2 0	61	64	29,78	70		ESE	1	Fair.
26	52	7 0	53,5	63	30,04	71	0,240	NE	1	Fair.
	69,5	2 0	68	64,5	30,05	59		NW	1	Fine.
27	53	7 0	56	64	30,05	67		SW	1	Hazy.
	66	2 0	63	64	30,05	70		SW	1	Cloudy.
28	61	7 0	62	64	29,94	78	0,060	WSW	1	Cloudy.
	72,5	2 0	70	66	29,98	67		WSW	1	Cloudy.
29	61	7 0	63	65,5	30,04	71		SW	1	Cloudy.
	70	2 0	70	67	29,97	64		SW	2	Cloudy.
30	58	7 0	60	65,5	29,89	76	0,077	SW	1	Cloudy.
	72,5	2 0	72	67	29,89	59		W	1	Fair.
31	55	7 0	58	66	29,84	71	0,031	SW	1	Fine.
	70	2 0	69	66,5	29,82	64		WSW	1	Fair.

METEOROLOGICAL JOURNAL

for August, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.		Weather.
			without.	within.				H.	M.	
				o	Inches.		Inches.	Points.	Str.	
Aug. 1	o									
	54	7 0	57	65	29.78	75	0,038	S	2	Rain.
	64	2 0	63	65	29.71	72		S	2	Cloudy.
2	57	7 0	59	65	29.64	75	0,225	SSW	2	Cloudy.
	67,5	2 0	67	65	29.65	64		SSW	2	Cloudy.
3	56	7 0	58	64,5	29.88	71	0,163	WSW	2	Fair.
	70,5	2 0	70	66	29.97	59		WSW	2	Fair.
4	57	7 0	58	65,5	30.01	78	0,170	S	1	Rain.
	65	2 0	61	65,5	29.96	75		E	1	Cloudy.
5	52	7 0	54	64,5	30.13	77		SW	1	Fair.
	70	2 0	68	67	30.13	64	0,270	E	1	Fair.
6	57	7 0	59	65	30.12	77		E	1	Cloudy.
	70	2 0	69	68	30.12	62		E	1	Fine.
7	54	7 0	58	65	30.02	73		E	1	Cloudy.
	66	2 0	65	65,5	29.96	70		S	2	Cloudy.
8	56	7 0	58	65	29.96	73		S	2	Fair.
	71	2 0	70	66	29.95	58		S	1	Cloudy.
9	56	7 0	58	65,5	29.97	72	0,053	S	1	Fair.
	71	2 0	70	66	29.97	62		SW	1	Fair.
10	59,5	7 0	61	66	29.99	74		WSW	1	Fair.
	73	2 0	71	68	29.98	63		WSW	1	Fair.
11	64	7 0	64,5	67	30.01	75		WSW	1	Cloudy.
	75	2 0	74,5	68,5	30.04	66		SW	1	Cloudy.
12	66	7 0	68	68	30.01	75		WSW	1	Cloudy.
	79	2 0	78	70	29.96	64		SE	1	Cloudy.
13	62	7 0	64	69	29.86	78		E	1	Hazy.
	79	2 0	78	73	29.78	64		E	1	Fine.
14	64	7 0	65	70	29.75	81	0,265	WSW	1	Cloudy.*
	73	2 0	72,5	71,5	29.80	69		WNW	1	Cloudy.
15	61	7 0	63	70	29.82	76		NW	1	Cloudy.
	72,5	2 0	69	69,5	29.82	70		NW	1	Cloudy.
16	53	7 0	55	69	29.77	75		SSW	1	Hazy.
	71	2 0	71	69	29.79	65		SSW	1	Fine.

* much
thunder
& light-
ning last
night.

METEOROLOGICAL JOURNAL

for August, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.		Weather.
			without.	within.				Points.	Str.	
H. M.	°	°			Inches.					
Aug. 17	°									
	56	7 0	58	68	29,72	73		SSW	2	Cloudy.
	68,5	2 0	64,5	68	29,62	75		S	2	Cloudy.
18	52	7 0	55	67	29,79	73	0,167	W	2	Fine.
	69	2 0	68	68	29,81	57		WNW	2	Fair.
19	51	7 0	54	66	30,02	74		SW	1	Fine.
	70,5	2 0	68	67	30,01	67		S	2	Cloudy.
20	63	7 0	64	67	30,05	74		S	2	Fine.
	77	2 0	76	69,5	30,07	65		SSW	1	Fair.
21	61	7 0	63	68	29,94	77		NE	1	Cloudy.
	79	2 0	78	70	29,80	75		SE	1	Cloudy.
22	54,5	7 0	56	68	29,73	76	0,487	SW	1	Fine.
	68	2 0	65	68	29,73	64		SW	1	Fair.
23	51	7 0	53	68,5	29,92	75	0,018	SW	1	Fine.
	72	2 0	71	68	29,97	62		SW	1	Fine.
24	57	7 0	62	68	30,02	73		SSW	1	Cloudy.
	70	2 0	70	68	30,08	67		SSW	1	Cloudy.
25	59	7 0	63	67	30,18	64		S	1	Cloudy.
	73,5	2 0	73	69	30,17	62		E	1	Fair.
26	57,5	7 0	60	68,5	30,09	71		E	1	Fine.
	75	2 0	74,5	70	30,00	63		SE	1	Fine.
27	58	7 0	59	68	29,98	71		WNW	1	Fine.
	70	2 0	68	70	30,04	60		NW	1	Fine.
28	52	7 0	54	66	30,20	69		WNW	1	Fair.
	67	2 0	66	68	30,23	60		WNW	1	Fine.
29	52	7 0	55	67	30,31	67		W	1	Cloudy.
	70	2 0	68	68	30,29	59		SE	1	Fine.
30	51,5	7 0	54	65	30,26	71		SE	1	Fine.
	70	2 0	70	68	30,25	61		SSE	1	Fine.
31	51,5	7 0	54	64	30,25	70		ENE	1	Fine.
	70	2 0	70	67,5	30,25	61		E	1	Fine.

METEOROLOGICAL JOURNAL

for September, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.		Weather.
			without.	within.				Points.	Str.	
H. M.	o	o			Inches.					
Sept. 1	o	7 o	55	63,5	30,14	79		NE	1	Cloudy.
	53	2 o	73	69	30,07	66		ENE	1	Fine.
2	73	7 o	61	66	29,93	81		NE	1	Fine.
	58,5	2 o	71,5	70,5	29,89	69		ENE	1	Fine.
3	71,5	7 o	63,5	67	29,81	76		ENE	1	Fine.
	58,5	2 o	74,5	71,5	29,80	65		E	2	Fine.
4	75	7 o	65	69	29,64	69		E	2	Cloudy.
	64	2 o	67	69	29,64	70		S	2	Cloudy.
5	68	7 o	63	67,5	29,74	76	0,061	S	2	Cloudy.
	60,5	2 o	72	69,5	29,85	66		S	2	Cloudy.
6	73	7 o	65	69	29,89	71		S b. W	1	Fine.
	63	2 o	76,5	72	29,90	62		S b. W	1	Fine.
7	77	7 o	63,5	70	30,04	74		S b. W	1	Fine.
	62	2 o	77,5	73	30,04	66		E	1	Fine.
8	78	7 o	67,5	71	30,01	75		ESE	1	Cloudy.
	67	2 o	71	71	30,06	70		SSW	2	Cloudy.
9	72	7 o	63	70	30,14	73		SSW	2	Cloudy.
	61	2 o	71	71	30,13	65		W	2	Fine.
10	72	7 o	61,5	69	30,20	75		W	1	Cloudy.
	60	2 o	72,5	70,5	30,20	65		W	1	Hazy.
11	74	7 o	62	70	30,20	74		S	1	Cloudy.
	61,5	2 o	74	71	30,24	64		S	1	Fine.
12	75	7 o	59	68	30,36	68		NE	1	Fine.
	55	2 o	70	71	30,35	64		E	1	Hazy.
13	70,5	7 o	60	68	30,33	74		NE	1	Cloudy.
	58	2 o	69,5	70	30,32	64		NE	1	Hazy.
14	70,5	7 o	58	66	30,37	70		W	1	Cloudy.
	55	2 o	69	69	30,39	65		NE	1	Cloudy.
15	49	7 o	52	64	30,46	71		NE	1	Fine.
	65	2 o	65	68	30,43	64		E	1	Fine.
16	49,5	7 o	52	66	30,35	74		NE	1	Fine.
	65	2 o	63,5	68	30,29	66		E	1	Fine.

METEOROLOGICAL JOURNAL

for September, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.		Weather.
			without.	within.				H. M.	o	
	o									
Sept. 17	52	7 0	54	64,5	30,17	77		E	1	Fine.
	69	2 0	69	68	30,10	62		E	1	Fine.
18	52	7 0	53	65,5	29,98	76		ENE	1	Fair.
	73	2 0	73	70	29,96	65		S	1	Fine.
19	58	7 0	61	67	29,93	73		E	1	Fair.
	77	2 0	77	71	29,93	64		ESE	1	Fine.
20	58	7 0	60	68	29,93	74		E	1	Fine.
	75,5	2 0	75	71	29,95	65		E	1	Fine.
21	54	7 0	56,5	67	30,09	78		NE	1	Fine.
	67,5	2 0	67	70	30,11	63		E	1	Fine.
22	50,5	7 0	52	65	30,11	72		NNE	1	Fine.
	68,5	2 0	68,5	68,5	30,09	62		ESE	1	Fine.
23	48	7 0	50	64,5	30,09	70		S	1	Fine.
	70	2 0	70	68	30,10	61		NW	1	Cloudy.
24	50	7 0	53	64	30,23	68		NE	1	Hazy.
	64,5	2 0	64	67	30,22	62		W	1	Hazy.
25	53,5	7 0	56	64	30,18	73		WNW	1	Cloudy.
	72	2 0	71	68,5	30,16	65		WNW	1	Fine.
26	58	7 0	59	66	30,05	72		SSW	1	Cloudy.
	69	2 0	65	67	30,07	73		NW	1	Cloudy.
27	45	7 0	46	64,5	30,34	72	0,020	NE	1	Fair.
	60,5	2 0	60	66	30,31	61		E	1	Fine.
28	46	7 0	48	64	30,19	68		ENE	2	Fine.
	60	2 0	60	65,5	30,06	62		E	2	Fine.
29	52	7 0	53	64	29,84	69		E	2	Cloudy.
	68	2 0	67	64,5	29,79	69		SE	1	Cloudy.
30	58	7 0	60	64	29,91	84		S	1	Cloudy.
	69,5	2 0	68	66,5	29,98	67		S	2	Fair.

METEOROLOGICAL JOURNAL

for October, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- meter.	Rain.	Winds.	Weather.	
			without.	within.						
			H. M.	o	o	Inches.	Inches.	Points.	Str.	
Oct. 1	o									
1	52	7 0	53	64	30,13	80		NE	1	Cloudy.
	68	2 0	67	66	30,05	74		E	1	Cloudy.
2	59	7 0	59	65	30,00	84	0,071	S	2	Cloudy.
	67	2 0	66	66	30,04	69		SSW	2	Fair.
3	54	7 0	53	65,5	30,09	80		NE	1	Foggy.
	61	2 0	61	65	29,97	75		NNE	1	Cloudy.
4	56	7 0	57	64,5	29,77	87	0,168	NE	1	Cloudy.
	59	2 0	59	65	29,77	85		NE	1	Rain.
5	52	7 0	52,5	63,5	29,84	84	0,286	SW	1	Fair.
	64	2 0	62	64,5	29,84	71		SSW	1	Cloudy.
6	48	7 0	48	63	29,97	79		WSW	1	Fair.
	58	2 0	56,5	63	30,07	65		WNW	1	Fair.
7	42	7 0	44	62	30,18	74		WSW	1	Cloudy.
	59	2 0	59	63	30,07	64		E	1	Fine.
8	50	7 0	52	62	29,72	78		E	1	Cloudy.
	54,5	2 0	54	62	29,55	83		E	1	Rain.
9	50	7 0	52	61	29,36	83	0,348	S	1	Fair.
	58	2 0	56,5	61	29,16	83		E	2	Rain
10	45,5	7 0	47	60	29,24	77	0,260	SE b. S	2	Fair.
	58	2 0	58	61	29,19	74		S	2	Hazy.
11	47	7 0	48	59	29,16	80	0,210	E	1	Cloudy.
	58,5	2 0	58	60	29,18	69		S	2	Rain.
12	46,5	7 0	47	59	29,50	83	0,128	W	1	Fine.
	58,5	2 0	58	60	29,62	68		W	1	Hazy.
13	53	7 0	55	59	29,68	86	0,230	E	1	Cloudy.
	61	2 0	61	61	29,72	84		S	1	Cloudy.
14	56	7 0	58	61	29,76	85	0,160	SE	1	Cloudy.
	66,5	2 0	65	63	29,68	76		SE	2	Cloudy.
15	57	7 0	57	62	29,51	80	0,118	S	2	Cloudy.* [* much lightning with thun- der last night.]
	63,5	2 0	62,5	64,5	29,70	69		SW	2	Fair.
16	55	7 0	58	62,5	29,78	76		SSW	2	Cloudy. [much wind last night.]
	61	2 0	60	64	29,71	76		SSW	2	Cloudy.

METEOROLOGICAL JOURNAL

for October, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- gro- meter.	Rain.	Winds.		Weather.
								H.	M.	
				°						
Oct. 17	52	7 0	53	62	29,90	79	0,066	SW	1	Fine.
	61	2 0	60,5	64	29,97	70		SSW	1	Hazy.
18	53	7 0	56	63	29,74	84		ESE	1	Cloudy.
	62	2 0	62	64	29,68	76		SSW	2	Cloudy.
19	54	7 0	55	63	29,73	86		E	1	Cloudy.
	60,5	2 0	66	66	29,67	73		S	1	Fair.
20	59,5	7 0	60	64	29,66	82		SE	1	Fair.
	65	2 0	65	66	29,60	74		S	2	Cloudy.
21	55	7 0	55	64	29,54	78	0,028	S	2	Fair.
	63	2 0	61	64	29,43	76		SSW	2	Cloudy.
22	52	7 0	52	63	29,26	86	0,102	E	1	Rain.
	58	2 0	58	65	29,18	73		SSW	2	Fair.
23	44	7 0	45	62	29,23	79	0,156	SW	2	Cloudy.
	58,5	2 0	55	64,5	29,35	65		SW	2	Fair.
24	51	7 0	57	62	29,14	70		SSW	2	Cloudy.
	62	2 0	61,5	64	29,33	65		SW	2	Fair.
25	51,5	7 0	52	62	29,72	72		SW	2	Fine.
	60,5	2 0	59,5	64	29,84	63		W	2	Fair.
26	49	7 0	49	62	29,95	79		W	1	Fair.
	57	2 0	57	64	29,95	68		W	1	Fair.
27	44,5	7 0	47	61	29,82	78		SW	1	Fair.
	58	2 0	58	61,5	29,72	71		SSW	2	Cloudy.
28	54	7 0	55	61	29,50	81		S	2	Cloudy. [much wind last night.]
	60	2 0	59	63,5	29,43	69		S	2	Fair.
29	48	7 0	48	60	29,52	71		SSW	2	Fair.
	54	2 0	54	62	29,62	64		SSW	2	Fine.
30	46	7 0	48	59	29,50	76		SSW	2	Cloudy.
	51,5	2 0	51,5	61	29,65	68		SW	2	Cloudy.
31	44	7 0	49	59	29,87	79	0,208	SSW	2	Cloudy.
	58	2 0	56,5	61	29,74	70		S	2	Cloudy.

METEOROLOGICAL JOURNAL

for November, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm.	Therm.	Barom.	Hy- gro- me- ter.	Rain.	Winds.	Weather.
			without.	within.					
			H. M.	o					
Nov. 1	o								
52	7 o	53	59,5	29,44	81	0,476	SE	z	Cloudy.
	2 o	53,5	61	29,27	76	SSE		z	Fair.
2	44	7 o	45	58,5	29,31	77	0,250	S	Cloudy.
	49	2 o	49	60	29,46	73		NE	Cloudy.
3	38	7 o	39	56	30,02	74	NE	NE	Fair.
	45	2 o	44,5	58,5	30,09	67	NE	NE	Cloudy.
4	33	7 o	34	55	30,22	74	NW	NE	Fine.
	44	2 o	42,5	57	30,16	69	SW	NE	Fine.
5	41	7 o	50	56	29,79	86	0,118	SW	Cloudy.
	53	2 o	51,5	58	29,83	75		WNW	Cloudy.
6	46	7 o	46	56	29,84	73	NW	NE	Cloudy. [much wind last night.]
	51	2 o	50,5	58	30,15	67	NW	NE	Fine.
7	42	7 o	47	56	30,25	77	SW	NE	Cloudy.
	56	2 o	56	58,5	30,15	72	NW	NE	Fine.
8	44	7 o	46	57	30,28	74	N	NE	Fair.
	52	2 o	51	58,5	30,31	69	NE	NE	Cloudy.
9	41	7 o	41	56,5	30,40	82	NE	NE	Cloudy.
	49	2 o	47	58	30,45	64	E	NE	Fine.
10	39	7 o	40	56	30,48	79	ENE	NE	Fine.
	49	2 o	47	57	30,50	67	E	NE	Fine.
11	39	7 o	40	56	30,58	77	ENE	NE	Fair.
	49	2 o	49	56	30,56	70	NE	NE	Cloudy.
12	41	7 o	41	56	30,48	76	NE	NE	Cloudy.
	49	2 o	48	56,5	30,34	74	WNW	NE	Cloudy.
13	49	7 o	49	57	30,11	78	WNW	NE	Cloudy.
	53	2 o	53	58	30,02	73	NW	NE	Cloudy.
14	36	7 o	36	57	30,05	74	N	NE	Fine.
	43	2 o	42	56,5	30,12	71	N	NE	Fair.
15	34	7 o	34	55	30,35	75	NE	NE	Fair.
	42	2 o	41,5	58	30,40	71	NE	NE	Fine.
16	31	7 o	33	54	30,40	75	WSW	NE	Cloudy.
	42,5	2 o	42,5	55	30,30	74	NW	NE	Cloudy.

METEOROLOGICAL JOURNAL

for November, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- gro- meter.	Rain.	Winds.	Weather.		
									H.	M.	
									o	o	
									Inches.	Points.	
Nov. 17	o										
	40	7	o	40	54	30,14	80	WSW	1	Cloudy.	
	48	2	o	47	56	30,03	73	SW	2	Cloudy.	
18	45	7	o	46	54	29,55	78	S	3	Cloudy.	
	50	2	o	49	55	29,15	80	S	3	Rain.	
19	38	7	o	39	54	29,27	79	0,702	SW	1	Cloudy.
	45	2	o	45	55	29,27	73	SSW	1	Fair.	
20	34,5	7	o	35	54	29,29	77	SW	1	Fair.	
	40	2	o	40	55	29,48	75	NE	1	Cloudy.	
21	26	7	o	27	52	29,75	74	WSW	1	Fine.	
	39	2	o	38	54	29,80	70	SW	1	Fine.	
22	36	7	o	45	53	29,55	85	0,038	S	2	Cloudy.
	51	2	o	50	55	29,44	81	S	2	Cloudy.	
23	36	7	o	36	53	29,78	80	SW	1	Fair.	
	44	2	o	44	55	29,88	74	WSW	1	Fine.	
24	39	7	o	48	53	29,28	85	0,167	S	2	Rain.
	51	2	o	50	56	29,17	81	S	2	Cloudy.	
25	41	7	o	42	54	29,00	82	S	1	Cloudy.	
	46,5	2	o	43	55	28,94	80	NE	2	Cloudy.	
26	28,5	7	o	29	51	29,40	76	W	1	Fine.	
	37	2	o	37	53	29,44	71	NW	1	Fine.	
27	30	7	o	30	51	29,77	77	WNW	1	Fair.	
	39	2	o	38	54	29,74	74	SSE	1	Cloudy.	
28	36	7	o	36	51	29,30	87	0,377	NE	1	Cloudy.
	40	2	o	40	52	29,62	80	NE	1	Fair.	
29	28	7	o	30	49	30,15	78	WSW	1	Fair.	
	40	2	o	40	51	30,14	76	W	1	Cloudy.	
30	39	7	o	47	51	29,95	90	0,300	SW	1	Cloudy.
	54	2	o	53	55	29,92	89	SW	1	Cloudy.	

METEOROLOGICAL JOURNAL

for December, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- gro- meter.	Rain.	Winds.	Weather.	
									H. M.	°
Dec. 1	o	48	8 o	48	54	30,09	88	WSW	I	Cloudy.
	54	2 o	54	57	30,07	86	SW	I	Cloudy.	
2	50	8 o	50	56	29,93	85	o,025	WNW	I	Rain.
	51	2 o	49	57	29,92	71		WNW	I	Fair.
3	43	8 o	44	56	29,90	75		WNW	I	Cloudy.
	48	2 o	48	57	29,90	73		NW	I	Fair.
4	41	8 o	42	55	30,08	76		NW	I	Cloudy.
	47	2 o	46,5	56,5	30,11	73		NW	I	Cloudy.
5	40	8 o	41	56	30,14	81		SW	I	Cloudy.
	49	2 o	49	57	30,03	85		SW	I	Cloudy.
6	47	8 o	51	56	30,03	88		WSW	I	Cloudy.
	54	2 o	54	58,5	30,08	84		NW	I	Cloudy.
7	47	8 o	47	57	30,13	86		WSW	I	Cloudy.
	49	2 o	49	58	30,16	81		WSW	I	Cloudy.
8	45	8 o	46	57	30,21	86		NNE	I	Cloudy.
	47	2 o	46	58	30,25	86		NE	I	Cloudy.
9	34	8 o	36	56	30,38	80		E	I	Fine.
	42	2 o	40	57	30,39	80		NE	I	Cloudy.
10	39	8 o	39	55	30,35	80		E	I	Cloudy.
	42	2 o	41	56	30,31	80		E	I	Cloudy.
11	40	8 o	41	56	30,23	80		E	I	Cloudy.
	43	2 o	42	56	30,19	80		E	I	Cloudy.
12	41	8 o	41	54	29,97	83		E	2	Cloudy.
	44	2 o	44	57	29,83	76		ESE	2	Cloudy.
13	41	8 o	45	55	29,53	83	o,157	SE	2	Cloudy.
	52	2 o	51	57	29,42	80		SSE	2	Cloudy.
14	47	8 o	48	56	29,56	84	o,060	ESE	I	Cloudy.
	52	2 o	51	57	29,49	84		SSE	I	Cloudy.
15	44	8 o	46	56	29,78	84		SSE	I	Fair.
	51,5	2 o	50,5	59	29,78	80		SSE	I	Fair.
16	45	8 o	46	57	29,70	84		ESE	I	Fair.
	52	2 o	52	59	29,64	82		SE	I	Cloudy.

METEOROLOGICAL JOURNAL

for December, 1795.

1795	Six's Therm. least and greatest Heat.	Time.	Therm. without.	Therm. within.	Barom.	Hy- grome- ter.	Rain.	Winds.	Weather.	
									H.	M.
Dec. 17	47	8 0	50	57	29,58	80		SE	2	Cloudy.
18	54	2 0	52,5	59	29,62	77		SSE	2	Cloudy.
	47	8 0	48	58	29,71	80		SE	1	Fair.
19	53	2 0	52	61	29,71	79		SE	1	Cloudy.
	49	8 0	50	59,5	29,60	84		S	2	Cloudy.
20	54	2 0	54	62	29,51	79		S	2	Fair.
	48	8 0	48	59	29,50	83		S	1	Cloudy.
21	52	2 0	52	62	29,56	77		SW	1	Fair.
	44,5	8 0	45	58	29,92	81	0,056	SE	1	Rain.
22	53	2 0	52	60	29,84	85		S	2	Rain.
	47	8 0	54	59	29,71	86	0,132	SSW	2	Cloudy.
23	56	2 0	54	61	29,71	78		SSW	2	Cloudy.
	43	8 0	43	57	29,93	78		SW	2	Fine.
24	48	2 0	47	59	30,11	72		SW	1	Fine.
	47	8 0	48	57	30,25	81		SW	1	Cloudy.
25	54	2 0	53	60	30,16	84		SW	2	Cloudy.
	43	8 0	43	60	30,31	75	0,097	SW	1	Fair.
26	46	2 0	46	62	30,34	73		WNW	1	Cloudy.
	38	8 0	38	57	30,22	77		NNE	1	Fine.
27	42	2 0	42	60	30,32	74		NE	1	Fine.
	34	8 0	37	55	30,32	78		SW	1	Cloudy.
28	43	2 0	43	59,5	30,22	75		S	2	Fair.
	38,5	8 0	48	57	29,94	82		S	2	Cloudy.
29	50	2 0	47	59	30,06	77		SSW	2	Fair.
	44	8 0	52	57	29,78	86	0,048	SSW	2	Cloudy.
30	55	2 0	55	59,5	29,75	84		SSW	2	Cloudy.
	39	8 0	40	54	30,13	80	0,398	W	2	Fair.
31	43	2 0	43	58	30,32	74		NW	2	Fine.
	35	8 0	44	55	30,14	80		SW	2	Cloudy.
	44	2 0	44	57,5	29,98	80		SW	2	Cloudy.

1795.	Six's Therm. without.		Thermometer within.		Barometer.*		Hygrometer.		Rain.	
	Greatest height.		Least height.		Greatest height.		Least height.		Greatest height.	
	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Inches.	Inches.	Deg.	Deg.
January	46,0	7	26,0	46	8	26,0	49	36	43,4	30,47
February	51	24	35,9	51	25	36,4	55	42	47,9	30,68
March	54,5	24	40,4	54,5	25	41,1	59	47	52,7	30,35
April	59,5	36	47,9	58,5	37	48	61,5	53	57,5	30,22
May	81,5	36	54,5	81	43	55,8	68	57	61,1	30,49
June	77,5	41,0	56,6	76	41	57,2	66	56	61,1	30,14
July	76	46	64,0	75	51	59,8	68	59	62,8	30,26
August	79	51	63,9	78	53	64,3	73	64	67,4	30,31
September	78	45	63,1	77,5	46	63,7	73	63,5	67,8	30,46
October	68	42	55,6	67	44	55,8	66	59	62,6	30,18
November	56	28	42,4	56	27	43,1	61	49	55,4	30,58
December	56	34	46,1	55	36	46,9	62	54	57,5	30,39
Whole year										
			49,7			49,9		58,1		29,90
										71,8 16,864

* The quicksilver in the basin of the barometer is 81 feet above the level of low water spring tides at Somerset-house.